

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(multidimensional or cube or (multi near2 dimensional)) same (search\$3 or quer\$3 or request\$3 or retriev\$3) same example\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:22
L2	604	(multidimensional or cube or (multi near2 dimensional)) same (search\$3 or quer\$3 or request\$3 or retriev\$3) same (scor\$3 or calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:28
L3	3	2 and example\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:28
L4	1	(multidimensional or cube or (multi near2 dimensional)) same (search\$3 or quer\$3 or request\$3 or retriev\$3) same "query-by-example"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:28
L5	1	(multidimensional or cube or (multi near2 dimensional)) same "query-by-example"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:29
L6	1	(multidimensional or 2-d or 2-D or cube or (multi near2 dimensional)) same "query-by-example"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:30
L7	4925	(multidimensional or 2-d or 2-D or cube or (multi near2 dimensional)) same (search\$3 or request\$3 or quer\$3 or retriev\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:54
L8	1	(multidimensional or 2-d or 2-D or cube or (multi near2 dimensional)) same (search\$3 or request\$3 or quer\$3 or retriev\$3) same example\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:32
L9	825	(multidimensional or 2-d or 2-D or cube or (multi near2 dimensional)) same (search\$3 or request\$3 or quer\$3 or retriev\$3) same image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:32
L10	55	(multidimensional or 2-d or 2-D or cube or (multi near2 dimensional)) same (search\$3 or request\$3 or quer\$3 or retriev\$3) same image\$1 same (weight\$3 or scor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:32

L11	6	10 and 707/3,4,10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:33
L12	121	"query-by-example"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:33
L13	5	9 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:36
L14	0	(image\$1 near2 quer\$3) same example\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:37
L15	1339	(image\$1 near2 quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:37
L16	83	9 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:37
L17	167	(image\$1 near2 quer\$3) same (weight\$3 or scor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:38
L18	35	9 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:38
L19	53849	18 adn "382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:38
L20	19	18 and "382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:55

L21	1	(multidimensional or 2-d or 2-D or cube or (multi near2 dimensional)) same ((scor\$3 or weight\$3) with example\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:54
L22	1	(multidimensional\$1 or 2-d or 2-D or cube or (multi near2 dimensional\$1)) same ((scor\$3 or weight\$3) with example\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:55
L23	0	(multidimensional\$1 or 2-d or 2-D or cube or (multi near2 dimensional\$1)) and ((scor\$3 or weight\$3) with image\$1 with example\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:55
L24	0	18 and ((positive or negative) with example\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:56
L25	0	20 and ((positive or negative) with example\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:56
L26	0	9 and ((positive or negative) with example\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:57
L27	1	(scor\$3 or weight\$3) with ((positive or negative) with example\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 18:58
L28	9	"content-based image retrieval" and ((positive or negative) with (example\$1 or model\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:03
L29	9165	((positive or negative) with (example\$1 or model\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:03
L30	16	((positive or negative) with (example\$1 or model\$1)) same (scor\$3 or weight\$3) same (search\$3 or request\$3 or retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:05

L31	1	((positive or negative) with (example\$1 or model\$1)) same (scor\$3 or weight\$3) same (image near2 retrieval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:06
L32	1	((positive or negative) with (example\$1 or model\$1)) same (scor\$3 or weight\$3) same (image\$1 near2 retrieval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:06
L33	612	((positive or negative) with (example\$1 or model\$1)) same (scor\$3 or weight\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:07
L34	0	9 and 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:07
L35	0	((retriev\$3 or quer\$3 or request\$3 or seach\$3) with image\$1) and ((scor\$3 or weight\$3) with (negative or possitive) with example\$1) and (multidimensional or multi-dimensional or 2-D or 3-D or cube\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:10
L36	0	((retriev\$3 or quer\$3 or request\$3 or seach\$3) with (multimedia or multi-media or image\$1)) and ((scor\$3 or weight\$3) with (negative or possitive) with example\$1) and (multidimensional or multi-dimensional or 2-D or 3-D or cube\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:11
L37	0	((retriev\$3 or quer\$3 or request\$3 or seach\$3) with (multimedia or multi-media or image\$1)) and ((scor\$3 or weight\$3) with (negative or possitive) with example\$1) and (multidimensional\$1 or multi-dimensional\$1 or 2-D or 3-D or cube\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 19:11